



TOWN OF ROCKLAND

Board of Health

242 Union Street
Rockland, Massachusetts 02370

Ending isolation for people who had COVID-19 and had symptoms

If you had COVID-19 and had [symptoms](#), isolate for at least 5 days. To calculate your 5-day isolation period, day 0 is your first day of symptoms. Day 1 is the first full day after your symptoms developed. You can leave isolation after 5 full days.

- You can end isolation after 5 full days if you are fever-free for 24 hours without the use of fever-reducing medication and your other symptoms have improved (Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation).
- You should continue to wear a [well-fitting mask](#) around others at home and in public for 5 additional days (day 6 through day 10) after the end of your 5-day isolation period. If you are unable to wear a mask when around others, you should continue to isolate for a full 10 days. Avoid people who are [immunocompromised or at high risk for severe disease](#), and nursing homes and other high-risk settings, until after at least 10 days.
- If you continue to have fever or your other symptoms have not improved after 5 days of isolation, you should wait to end your isolation until you are fever-free for 24 hours without the use of fever-reducing medication and your other symptoms have improved. Continue to wear a [well-fitting mask](#). Contact your healthcare provider if you have questions.
- Do not travel during your 5-day isolation period. After you end isolation, avoid travel until a full 10 days after your first day of symptoms. If you must travel on days 6-10, wear a [well-fitting mask](#) when you are around others for the entire duration of travel. If you are unable to wear a mask, you should not travel during the 10 days.
- Do not go to places where you are unable to wear a mask, such as restaurants and some gyms, and avoid eating around others at home and at work until a full 10 days after your first day of symptoms.

If an individual has access to a test and wants to test, the best approach is to use an [antigen test](#) towards the end of the 5-day isolation period. Collect the test sample only if you are fever-free for 24 hours without the use of fever-reducing medication and your other symptoms have improved (loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation). If your test result is positive, you should continue to isolate until day 10. If your test result is negative, you can end isolation, but continue to wear a [well-fitting mask](#) around others at home and in public until day 10. Follow additional recommendations for masking and restricting travel as described above.

Note that these recommendations on ending isolation **do not** apply to people with moderate or severe COVID-19 or with weakened immune systems (immunocompromised).

Telephone: (781) 857-9265

Fax: 781-871-2644

KRyan@rockland-ma.gov

Ending isolation for people who tested positive for COVID-19 but A-Symptomatic “had no symptoms”

If you test positive for COVID-19 and never develop [symptoms](#), isolate for at least 5 days. Day 0 is the day of your positive viral test (based on the date you were tested) and day 1 is the first full day after the specimen was collected for your positive test. You can leave isolation after 5 full days.

- If you continue to have no symptoms, you can end isolation after at least 5 days.
- You should continue to wear a [well-fitting mask](#) around others at home and in public until day 10 (day 6 through day 10). If you are unable to wear a mask when around others, you should continue to isolate for 10 days. Avoid people who are [immunocompromised or at high risk for severe disease](#), and nursing homes and other high-risk settings, until after at least 10 days.
- If you develop [symptoms](#) after testing positive, your 5-day isolation period should start over. Day 0 is your first day of symptoms. Follow the recommendations above for [ending isolation for people who had COVID-19 and had symptoms](#).
- Do not travel during your 5-day isolation period. After you end isolation, avoid travel until 10 days after the day of your positive test. If you must travel on days 6-10, wear a [well-fitting mask](#) when you are around others for the entire duration of travel. If you are unable to wear a mask, you should not travel during the 10 days after your positive test.
- Do not go to places where you are unable to wear a mask, such as restaurants and some gyms, and avoid eating around others at home and at work until 10 days after the day of your positive test.

If an individual has access to a test and wants to test, the best approach is to use an [antigen test](#) towards the end of the 5-day isolation period. If your test result is positive, you should continue to isolate until day 10. If your test result is negative, you can end isolation, but continue to wear a [well-fitting mask](#) around others at home and in public until day 10. Follow additional recommendations for masking and restricting travel described above.